	Application No.	Applicant(s)
Notice of Allowability	10/729,718	MORIKAWA, YOSHINAO
	Examiner	Art Unit
	Huan Hoang	2827
The MAILING DATE of this communication appearance of the second street of the communication appearance of the second street of the MERITS IS herewith (or previously mailed), a Notice of Allowance (PTOL-85) NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT R of the Office or upon petition by the applicant. See 37 CFR 1.313	(OR REMAINS) CLOSED in the or other appropriate communication. This application is sub-	nis application. If not included cation will be mailed in due course. THIS
1. X This communication is responsive to the Amendment filed	on 03/15/05.	
2. The allowed claim(s) is/are 8 and 12-23.		
3. \boxtimes The drawings filed on <u>05 December 2003</u> are accepted by	the Examiner.	
 4. Acknowledgment is made of a claim for foreign priority unas	e been received. e been received in Application ocuments have been received in Application of this communication to file a MENT of this application. Initted. Note the attached EXAM es reason(s) why the oath or does to be submitted. Is a Samendment / Comment or in the state of BIOLOGICAL MATER and the beater according to 37 CFR and the state of BIOLOGICAL MATER.	No In this national stage application from the reply complying with the requirements INER'S AMENDMENT or NOTICE OF eclaration is deficient. PTO-948) attached In the Office action of drawings in the front (not the back) of 1.121(d). RIAL must be submitted. Note the
attached Examiner's comment regarding REQUIREMENT	FOR THE DEPOSIT OF BIOL	OGICAL MATERIAL.
Attachment(s) 1. Notice of References Cited (PTO-892) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 3. Information Disclosure Statements (PTO-1449 or PTO/SB/Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit of Biological Material	6. ☐ Interview Sun Paper No./M 08), 7. ☐ Examiner's A	rmal Patent Application (PTO-152) nmary (PTO-413), ail Date mendment/Comment tatement of Reasons for Allowance
		Huan Hoang Primary Examiner Art Unit: 2827